

Certificate of Compliance

Certificate Number:

UL-US-L529329-44421-
80112202-2

Report Reference:

E529329-20221108

Issue Date:

2024-02-29

Issued to:

RAYZON SOLAR PRIVATE LIMITED

**806, Blue Point, Opp D - Mart Sarthana Jakat Naka Surat, Gujarat
395006
India**

This certificate confirms that representative samples of:

**QIIA - Photovoltaic Modules and Panels with System Voltage
Ratings Over 600 Volts**

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 61730-2, Edition 2, Issue Date 2022-10-28, Revision Date
2023-11-10, UL 61730-1, Edition 2, Issue Date 2022-10-28**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L529329-44421-80112202-2
Report reference E529329-20221108
Date 2024-02-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
RS340096MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS340WC	Mono PERC Mono-facial Models
RS340WCB	Mono PERC Mono-facial Models with Black frame
RS345096MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS345WC	Mono PERC Mono-facial Models
RS345WCB	Mono PERC Mono-facial Models with Black frame
RS350096MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS350WC	Mono PERC Mono-facial Models
RS350WCB	Mono PERC Mono-facial Models with Black frame
RS355096MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS355WC	Mono PERC Mono-facial Models
RS355WCB	Mono PERC Mono-facial Models with Black frame
RS360096MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS360WC	Mono PERC Mono-facial Models
RS360WCB	Mono PERC Mono-facial Models with Black frame
RS365096MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS365WC	Mono PERC Mono-facial Models
RS365WCB	Mono PERC Mono-facial Models with Black frame
RS370096MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS370WC	Mono PERC Mono-facial Models
RS370WCB	Mono PERC Mono-facial Models with Black frame
RS380108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L529329-44421-80112202-2
Report reference E529329-20221108
Date 2024-02-29

RS380WC	Mono PERC Mono-facial Models
RS380WCB	Mono PERC Mono-facial Models with Black frame
RS385108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS385WC	Mono PERC Mono-facial Models
RS385WCB	Mono PERC Mono-facial Models with Black frame
RS390108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS390WC	Mono PERC Mono-facial Models
RS390WCB	Mono PERC Mono-facial Models with Black frame
RS395108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS395WC	Mono PERC Mono-facial Models
RS395WCB	Mono PERC Mono-facial Models with Black frame
RS400108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS400WC	Mono PERC Mono-facial Models
RS400WCB	Mono PERC Mono-facial Models with Black frame
RS405108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS405WC	Mono PERC Mono-facial Models
RS405WCB	Mono PERC Mono-facial Models with Black frame
RS410108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS410WC	Mono PERC Mono-facial Models
RS410WCB	Mono PERC Mono-facial Models with Black frame
RS415108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS415WC	Mono PERC Mono-facial Models
RS415WCB	Mono PERC Mono-facial Models with Black frame
RS420108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS420WC	Mono PERC Mono-facial Models
RS420WCB	Mono PERC Mono-facial Models with Black frame



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L529329-44421-80112202-2
Report reference E529329-20221108
Date 2024-02-29

RS425120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS425WC	Mono PERC Mono-facial Models
RS425WCB	Mono PERC Mono-facial Models with Black frame
RS430120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS430WC	Mono PERC Mono-facial Models
RS430WCB	Mono PERC Mono-facial Models with Black frame
RS435120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS435WC	Mono PERC Mono-facial Models
RS435WCB	Mono PERC Mono-facial Models with Black frame
RS440120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS440WC	Mono PERC Mono-facial Models
RS440WCB	Mono PERC Mono-facial Models with Black frame
RS445120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS445WC	Mono PERC Mono-facial Models
RS445WCB	Mono PERC Mono-facial Models with Black frame
RS450120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS450WC	Mono PERC Mono-facial Models
RS450WCB	Mono PERC Mono-facial Models with Black frame
RS455120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS455WC	Mono PERC Mono-facial Models
RS455WCB	Mono PERC Mono-facial Models with Black frame
RS460120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS460WC	Mono PERC Mono-facial Models
RS460WCB	Mono PERC Mono-facial Models with Black frame
RS465132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS465WC	Mono PERC Mono-facial Models



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L529329-44421-80112202-2
Report reference E529329-20221108
Date 2024-02-29

RS465WCB	Mono PERC Mono-facial Models with Black frame
RS470132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS470WC	Mono PERC Mono-facial Models
RS470WCB	Mono PERC Mono-facial Models with Black frame
RS475132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS475WC	Mono PERC Mono-facial Models
RS475WCB	Mono PERC Mono-facial Models with Black frame
RS480132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS480WC	Mono PERC Mono-facial Models
RS480WCB	Mono PERC Mono-facial Models with Black frame
RS485132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS485WC	Mono PERC Mono-facial Models
RS485WCB	Mono PERC Mono-facial Models with Black frame
RS490132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS490WC	Mono PERC Mono-facial Models
RS490WCB	Mono PERC Mono-facial Models with Black frame
RS495132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS495WC	Mono PERC Mono-facial Models
RS495WCB	Mono PERC Mono-facial Models with Black frame
RS500132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS500WC	Mono PERC Mono-facial Models
RS500WCB	Mono PERC Mono-facial Models with Black frame
RS505144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS505WC	Mono PERC Mono-facial Models
RS505WCB	Mono PERC Mono-facial Models with Black frame



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L529329-44421-80112202-2
Report reference E529329-20221108
Date 2024-02-29

RS510144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS510WC	Mono PERC Mono-facial Models
RS510WCB	Mono PERC Mono-facial Models with Black frame
RS515144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS515WC	Mono PERC Mono-facial Models
RS515WCB	Mono PERC Mono-facial Models with Black frame
RS520144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS520WC	Mono PERC Mono-facial Models
RS520WCB	Mono PERC Mono-facial Models with Black frame
RS525144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS525WC	Mono PERC Mono-facial Models
RS525WCB	Mono PERC Mono-facial Models with Black frame
RS530144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS530WC	Mono PERC Mono-facial Models
RS530WCB	Mono PERC Mono-facial Models with Black frame
RS535144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS535WC	Mono PERC Mono-facial Models
RS535WCB	Mono PERC Mono-facial Models with Black frame
RS540144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS540WC	Mono PERC Mono-facial Models
RS540WCB	Mono PERC Mono-facial Models with Black frame
RS545144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS545WC	Mono PERC Mono-facial Models
RS545WCB	Mono PERC Mono-facial Models with Black frame
RS550144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS550WC	Mono PERC Mono-facial Models



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L529329-44421-80112202-2
Report reference E529329-20221108
Date 2024-02-29

RS550WCB	Mono PERC Mono-facial Models with Black frame
RS555144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS555WC	Mono PERC Mono-facial Models
RS555WCB	Mono PERC Mono-facial Models with Black frame
RS560144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS560WC	Mono PERC Mono-facial Models
RS560WCB	Mono PERC Mono-facial Models with Black frame
RSB340WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB345WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB350WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB355WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB360WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB365WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB370WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB380WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB385WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB390WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB395WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB400WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB405WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB410WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB415WC	Mono PERC Bi-facial Models with Transparent backsheet:



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L529329-44421-80112202-2
Report reference E529329-20221108
Date 2024-02-29

RSB420WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB425WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB430WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB435WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB440WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB445WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB450WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB455WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB460WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB465WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB470WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB475WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB480WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB485WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB490WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB495WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB500WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB505WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB510WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB515WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB520WC	Mono PERC Bi-facial Models with Transparent backsheet:



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L529329-44421-80112202-2
Report reference E529329-20221108
Date 2024-02-29

RSB525WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB530WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB535WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB540WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB545WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB550WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB555WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB560WC	Mono PERC Bi-facial Models with Transparent backsheet:



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-CA-L529329-44451-
80112202-2

Report Reference:

E529329-20221108

Issue Date:

2024-02-29

Issued to:

RAYZON SOLAR PRIVATE LIMITED

**806, Blue Point, Opp D - Mart Sarthana Jakat Naka Surat, Gujarat
395006
India**

This certificate confirms that representative samples of:

**QIIA7 - Photovoltaic Modules and Panels with System Voltage
Ratings Over 600 Volts Certified for Canada**

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**CSA C22.2 NO. 61730-1, 2nd Ed., Issue Date: 2019-12-01, CSA
C22.2 NO. 61730-2, 2nd Ed., Issue Date: 2019-12-01**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L529329-44451-80112202-2
Report reference E529329-20221108
Date 2024-02-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
RS340096MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS340WC	Mono PERC Mono-facial Models
RS340WCB	Mono PERC Mono-facial Models with Black frame
RS345096MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS345WC	Mono PERC Mono-facial Models
RS345WCB	Mono PERC Mono-facial Models with Black frame
RS350096MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS350WC	Mono PERC Mono-facial Models
RS350WCB	Mono PERC Mono-facial Models with Black frame
RS355096MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS355WC	Mono PERC Mono-facial Models
RS355WCB	Mono PERC Mono-facial Models with Black frame
RS360096MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS360WC	Mono PERC Mono-facial Models
RS360WCB	Mono PERC Mono-facial Models with Black frame
RS365096MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS365WC	Mono PERC Mono-facial Models
RS365WCB	Mono PERC Mono-facial Models with Black frame
RS370096MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS370WC	Mono PERC Mono-facial Models
RS370WCB	Mono PERC Mono-facial Models with Black frame
RS380108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L529329-44451-80112202-2
Report reference E529329-20221108
Date 2024-02-29

RS380WC	Mono PERC Mono-facial Models
RS380WCB	Mono PERC Mono-facial Models with Black frame
RS385108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS385WC	Mono PERC Mono-facial Models
RS385WCB	Mono PERC Mono-facial Models with Black frame
RS390108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS390WC	Mono PERC Mono-facial Models
RS390WCB	Mono PERC Mono-facial Models with Black frame
RS395108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS395WC	Mono PERC Mono-facial Models
RS395WCB	Mono PERC Mono-facial Models with Black frame
RS400108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS400WC	Mono PERC Mono-facial Models
RS400WCB	Mono PERC Mono-facial Models with Black frame
RS405108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS405WC	Mono PERC Mono-facial Models
RS405WCB	Mono PERC Mono-facial Models with Black frame
RS410108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS410WC	Mono PERC Mono-facial Models
RS410WCB	Mono PERC Mono-facial Models with Black frame
RS415108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS415WC	Mono PERC Mono-facial Models
RS415WCB	Mono PERC Mono-facial Models with Black frame
RS420108MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS420WC	Mono PERC Mono-facial Models
RS420WCB	Mono PERC Mono-facial Models with Black frame



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L529329-44451-80112202-2
Report reference E529329-20221108
Date 2024-02-29

RS425120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS425WC	Mono PERC Mono-facial Models
RS425WCB	Mono PERC Mono-facial Models with Black frame
RS430120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS430WC	Mono PERC Mono-facial Models
RS430WCB	Mono PERC Mono-facial Models with Black frame
RS435120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS435WC	Mono PERC Mono-facial Models
RS435WCB	Mono PERC Mono-facial Models with Black frame
RS440120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS440WC	Mono PERC Mono-facial Models
RS440WCB	Mono PERC Mono-facial Models with Black frame
RS445120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS445WC	Mono PERC Mono-facial Models
RS445WCB	Mono PERC Mono-facial Models with Black frame
RS450120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS450WC	Mono PERC Mono-facial Models
RS450WCB	Mono PERC Mono-facial Models with Black frame
RS455120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS455WC	Mono PERC Mono-facial Models
RS455WCB	Mono PERC Mono-facial Models with Black frame
RS460120MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS460WC	Mono PERC Mono-facial Models
RS460WCB	Mono PERC Mono-facial Models with Black frame
RS465132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS465WC	Mono PERC Mono-facial Models



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L529329-44451-80112202-2
Report reference E529329-20221108
Date 2024-02-29

RS465WCB	Mono PERC Mono-facial Models with Black frame
RS470132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS470WC	Mono PERC Mono-facial Models
RS470WCB	Mono PERC Mono-facial Models with Black frame
RS475132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS475WC	Mono PERC Mono-facial Models
RS475WCB	Mono PERC Mono-facial Models with Black frame
RS480132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS480WC	Mono PERC Mono-facial Models
RS480WCB	Mono PERC Mono-facial Models with Black frame
RS485132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS485WC	Mono PERC Mono-facial Models
RS485WCB	Mono PERC Mono-facial Models with Black frame
RS490132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS490WC	Mono PERC Mono-facial Models
RS490WCB	Mono PERC Mono-facial Models with Black frame
RS495132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS495WC	Mono PERC Mono-facial Models
RS495WCB	Mono PERC Mono-facial Models with Black frame
RS500132MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS500WC	Mono PERC Mono-facial Models
RS500WCB	Mono PERC Mono-facial Models with Black frame
RS505144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS505WC	Mono PERC Mono-facial Models
RS505WCB	Mono PERC Mono-facial Models with Black frame



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L529329-44451-80112202-2
Report reference E529329-20221108
Date 2024-02-29

RS510144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS510WC	Mono PERC Mono-facial Models
RS510WCB	Mono PERC Mono-facial Models with Black frame
RS515144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS515WC	Mono PERC Mono-facial Models
RS515WCB	Mono PERC Mono-facial Models with Black frame
RS520144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS520WC	Mono PERC Mono-facial Models
RS520WCB	Mono PERC Mono-facial Models with Black frame
RS525144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS525WC	Mono PERC Mono-facial Models
RS525WCB	Mono PERC Mono-facial Models with Black frame
RS530144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS530WC	Mono PERC Mono-facial Models
RS530WCB	Mono PERC Mono-facial Models with Black frame
RS535144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS535WC	Mono PERC Mono-facial Models
RS535WCB	Mono PERC Mono-facial Models with Black frame
RS540144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS540WC	Mono PERC Mono-facial Models
RS540WCB	Mono PERC Mono-facial Models with Black frame
RS545144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS545WC	Mono PERC Mono-facial Models
RS545WCB	Mono PERC Mono-facial Models with Black frame
RS550144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS550WC	Mono PERC Mono-facial Models



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L529329-44451-80112202-2
Report reference E529329-20221108
Date 2024-02-29

RS550WCB	Mono PERC Mono-facial Models with Black frame
RS555144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS555WC	Mono PERC Mono-facial Models
RS555WCB	Mono PERC Mono-facial Models with Black frame
RS560144MBC	Mono PERC Mono-facial Models with Black backsheet and Black frame:
RS560WC	Mono PERC Mono-facial Models
RS560WCB	Mono PERC Mono-facial Models with Black frame
RSB340WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB345WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB350WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB355WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB360WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB365WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB370WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB380WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB385WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB390WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB395WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB400WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB405WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB410WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB415WC	Mono PERC Bi-facial Models with Transparent backsheet:



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L529329-44451-80112202-2
Report reference E529329-20221108
Date 2024-02-29

RSB420WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB425WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB430WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB435WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB440WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB445WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB450WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB455WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB460WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB465WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB470WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB475WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB480WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB485WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB490WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB495WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB500WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB505WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB510WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB515WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB520WC	Mono PERC Bi-facial Models with Transparent backsheet:



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L529329-44451-80112202-2
Report reference E529329-20221108
Date 2024-02-29

RSB525WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB530WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB535WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB540WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB545WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB550WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB555WC	Mono PERC Bi-facial Models with Transparent backsheet:
RSB560WC	Mono PERC Bi-facial Models with Transparent backsheet:



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

